Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Pure1000

Sample ID: 2606AFL1032.3727
Strain: CBD
Matrix: Ingestible
Type: Tincture
Unit Weight: 30 g

Internal Lab ID: ATL-39038

Received: 07/01/2026
Completed: 09/22/2026
Batch#: T1000-BK24-0629

Client
Pure Science Lab
Lic. #
3400 NW 27th Ave C-4
Pompano Beach, FL 33069



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/28/2026	Complete
Residual Solvents	09/21/2026	Pass
Microbials	09/21/2026	Pass
Mycotoxins	09/21/2026	Pass
Pesticides	09/21/2026	Pass
Heavy Metals	09/22/2026	Pass
Foreign Matter	09/21/2026	Pass

Basic Potency

Complete

ND
Total THC

3.363%
Total CBD

4.440%
Total Cannabinoids

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBDVa	0.037	0.112	ND	ND
CBDV	0.038	0.114	ND	ND
CBDa	0.037	0.112	ND	ND
CBGa	0.037	0.112	ND	ND
CBG	0.038	0.114	0.741	222.30
CBD	0.038	0.114	3.363	1008.90
THCV	0.038	0.114	ND	ND
Δ8-THCV	0.041	0.124	ND	ND
THCVa	0.037	0.112	ND	ND

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBN	0.038	0.114	0.165	49.50
Δ9-THC	0.038	0.114	ND	ND
Δ8-THC	0.038	0.114	ND	ND
(6aR,9S)-d10-THC	0.042	0.125	ND	ND
(6aR,9R)-d10-THC	0.042	0.126	ND	ND
CBC	0.038	0.114	0.171	51.30
CBCa	0.037	0.112	ND	ND
THCa	0.037	0.112	ND	ND
Total			**4.440**	**1332.00**

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 08/28/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter

Lise Berthe-Laurent
Laboratory Director
09/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Pure1000

Sample ID: 2606AFL1032.3727
Strain: CBD
Matrix: Ingestible
Type: Tincture
Unit Weight: 30 g

Internal Lab ID: ATL-39038

Received: 07/01/2026
Completed: 09/22/2026
Batch#: T1000-BK24-0629

Client
Pure Science Lab
Lic. #
3400 NW 27th Ave C-4
Pompano Beach, FL 33069

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Abamectin	10.000	50.000	300	ND	Pass
Acephate	10.000	50.000	3000	ND	Pass
Acequinocyl	10.000	50.000	2000	ND	Pass
Acetamiprid	10.000	50.000	3000	ND	Pass
Aldicarb	10.000	50.000	100	ND	Pass
Azoxystrobin	10.000	50.000	3000	ND	Pass
Bifenazate	10.000	50.000	3000	ND	Pass
Bifenthrin	10.000	50.000	500	ND	Pass
Boscalid	10.000	50.000	3000	ND	Pass
Captan	70.000	350.000	3000	ND	Pass
Carbaryl	10.000	50.000	500	ND	Pass
Carbofuran	10.000	50.000	100	ND	Pass
Chlorantraniliprole	10.000	50.000	3000	ND	Pass
Chlordane	10.000	50.000	100	ND	Pass
Chlorfenapyr	10.000	50.000	100	ND	Pass
Chlormequat Chloride	10.000	50.000	3000	ND	Pass
Chlorpyrifos	10.000	50.000	100	ND	Pass
Clofentezine	10.000	50.000	500	ND	Pass
Coumaphos	10.000	50.000	100	ND	Pass
Cyfluthrin	50.000	250.000	1000	ND	Pass
Cypermethrin	50.000	250.000	1000	ND	Pass
Daminozide	10.000	50.000	100	ND	Pass
Diazinon	10.000	50.000	200	ND	Pass
Dichlorvos	10.000	50.000	100	ND	Pass
Dimethoate	10.000	50.000	100	ND	Pass
Dimethomorph	10.000	50.000	3000	ND	Pass
Ethoprophos	10.000	50.000	100	ND	Pass
Etofenprox	10.000	50.000	100	ND	Pass
Etoxazole	10.000	50.000	1500	ND	Pass
Fenhexamid	10.000	50.000	3000	ND	Pass
Fenoxycarb	10.000	50.000	100	ND	Pass
Fenpyroximate	10.000	50.000	2000	ND	Pass
Fipronil	10.000	50.000	100	ND	Pass
Flonicamid	10.000	50.000	2000	ND	Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Fludioxonil	10.000	50.000	3000	ND	Pass
Hexythiazox	10.000	50.000	2000	ND	Pass
Imazalil	10.000	50.000	100	ND	Pass
Imidacloprid	10.000	50.000	3000	ND	Pass
Kresoxim Methyl	10.000	50.000	1000	ND	Pass
Malathion	10.000	50.000	2000	ND	Pass
Metalaxyl	10.000	50.000	3000	<50.000	Pass
Methiocarb	10.000	50.000	100	ND	Pass
Methomyl	10.000	50.000	100	ND	Pass
Mevinphos	10.000	50.000	100	ND	Pass
Myclobutanil	10.000	50.000	3000	ND	Pass
Naled	10.000	50.000	500	ND	Pass
Oxamyl	10.000	50.000	500	ND	Pass
Paclobutrazol	10.000	50.000	100	ND	Pass
Parathion Methyl	10.000	50.000	100	ND	Pass
Pentachloronitrobenzene	15.000	75.000	200	ND	Pass
Permethrin	10.000	50.000	1000	ND	Pass
Phosmet	10.000	50.000	200	ND	Pass
Piperonyl Butoxide	10.000	50.000	3000	ND	Pass
Prallethrin	10.000	50.000	400	ND	Pass
Propiconazole	10.000	50.000	1000	ND	Pass
Propoxur	10.000	50.000	100	ND	Pass
Pyrethrins			1000	ND	Pass
Pyridaben	10.000	50.000	3000	ND	Pass
Spinetoram			3000	ND	Pass
Spinosad			3000	ND	Pass
Spiromesifen	10.000	50.000	3000	ND	Pass
Spirotetramat	10.000	50.000	3000	ND	Pass
Spiroxamine	10.000	50.000	100	ND	Pass
Tebuconazole	10.000	50.000	1000	ND	Pass
Thiacloprid	10.000	50.000	100	ND	Pass
Thiamethoxam	10.000	50.000	1000	ND	Pass
Trifloxystrobin	10.000	50.000	3000	ND	Pass

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 09/21/2026
Pesticide via LC-MS/MS and GC-MS/MS
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

Lise Berthe-Laurent
Laboratory Director
09/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

Pure1000

Sample ID: 2606AFL1032.3727
Strain: CBD
Matrix: Ingestible
Type: Tincture
Unit Weight: 30 g

Internal Lab ID: ATL-39038

Received: 07/01/2026
Completed: 09/22/2026
Batch#: T1000-BK24-0629

Client
Pure Science Lab
Lic. #
3400 NW 27th Ave C-4
Pompano Beach, FL 33069

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 09/21/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	3.33	10.00		ND	Tested
Aflatoxin B2	3.33	10.00		ND	Tested
Aflatoxin G1	3.33	10.00		ND	Tested
Aflatoxin G2	3.33	10.00		ND	Tested
Ochratoxin A	3.33	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 09/21/2026
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 09/21/2026

Lise Berthe-Laurent
Laboratory Director
09/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Pure1000

Sample ID: 2606AFL1032.3727
Strain: CBD
Matrix: Ingestible
Type: Tincture
Unit Weight: 30 g

Internal Lab ID: ATL-39038

Received: 07/01/2026
Completed: 09/22/2026
Batch#: T1000-BK24-0629

Client
Pure Science Lab
Lic. #
3400 NW 27th Ave C-4
Pompano Beach, FL 33069

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene	0.62	1.86	8	ND	Pass	n-Heptane	0.62	1.86	5000	ND	Pass
1,2-Dichloroethane	0.62	1.86	2	ND	Pass	Isobutane	0.62	1.87		ND	Tested
1,4-Dioxane	0.62	1.86		ND	Tested	Isopentane	0.21	0.62		ND	Tested
2,2-Dimethylbutane	0.12	0.37		ND	Tested	Isopropanol	9.12	27.35	500	ND	Pass
2,3-Dimethylbutane	0.12	0.37		ND	Tested	Isopropyl Acetate	0.62	1.86		ND	Tested
2-Butanol	0.62	1.86		ND	Tested	m-Xylene + p-Xylene	0.31	0.93		ND	Tested
2-Ethoxyethanol	1.24	3.72		ND	Tested	Methanol	6.19	18.58	250	ND	Pass
2-Methylpentane	0.12	0.37		ND	Tested	Methylene Chloride	0.62	1.86	125	ND	Pass
3-Methylpentane	0.12	0.37		ND	Tested	n-Butane	0.31	0.93		ND	Tested
Acetone	0.62	1.86	750	ND	Pass	n-Hexane	0.12	0.37		ND	Tested
Acetonitrile	6.16	18.48	60	ND	Pass	n-Pentane	0.21	0.62		ND	Tested
Benzene	0.01	0.02	1	ND	Pass	Neopentane	0.21	0.62		ND	Tested
Chloroform	0.02	0.07	2	ND	Pass	o-Xylene	0.16	0.47		ND	Tested
Cumene	0.62	1.86		ND	Tested	Propane	2.50	7.49	5000	ND	Pass
Cyclohexane	0.62	1.86		ND	Tested	Tetrahydrofuran	0.62	1.86		ND	Tested
Ethanol	12.83	38.50	5000	ND	Pass	Toluene	0.76	2.27	150	ND	Pass
Ethyl Acetate	3.53	10.58	400	ND	Pass	Trichloroethene	0.62	1.86	25	ND	Pass
Ethylbenzene	0.16	0.47		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether	0.62	1.86	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol	19.84	59.51		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide	0.62	1.87	5	ND	Pass	Xylenes	4.00	12.00	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 09/21/2026
Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16.5	49.6	1500	ND	Pass
Cadmium	16.5	49.6	500	ND	Pass
Lead	16.5	49.6	500	ND	Pass
Mercury	16.5	49.6	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 09/22/2026

Lise Berthe-Laurent
Laboratory Director
09/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.